

## **ATTESTATION**of conformity with European Directives

BV LCIE CHINA Number N°2366AS10CMAZ51930

Product PV Grid-connected Inverter

Reference AU-1P3002G, AU-1P3502G, AU-1P4002G

Issued to NINGBO AUSTA SOLAR TECH CO.,LTD

Address 1-1, NO.136.Haichuan Road, Jiangbei District, Ningbo, Zhejiang, P.R.China

Manufacturer NINGBO AUSTA SOLAR TECH CO.,LTD

Technical characteristics See below table

The submitted sample of the above equipment has been tested for C marking according to following European Directive and following standards:

LVD Directive 2014/35/EU

Standards	Report number	Report date
IEC 62109-1:2010/EN 62109-1:2010	CMAZ-ESH-P23091847-1	2023-10-26
IEC 62109-2:2011/EN 62109-2:2011	CMAZ-ESH-P23091847-2	2023-10-20

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product

The CE marking may be affixed if all relevant and effective European Directives with CE are applicable

Shanghai (P.R. China), October 26th, 2023



Robin Wu
Product Line Manager
Robin Wu

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document, are related to the tested specimen of the described electrical sample.

Version: 8.0 / Nov.24, 2022 Page 1 of

2



Model / Type:	AU-1P3002G	AU-1P3502G	AU-1P4002G
MPPT voltage range:		22-55 Vdc	Transcore and the second
Max. Continue PV Current	14A	16A	18A
Rated grid voltage	/	230V, 50Hz/60Hz	
Max. Continue Output current:	1,4A	1,53A	1,74A
Max. Continuous Output power:	300VA	350VA	400VA

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document, are related to the tested specimen of the described electrical sample.

Page 2 of